OFFICE OF PUBLIC SCHOOL CONSTRUCTION STAKEHOLDER MEETING March 3. 2022

Proposed Revisions to the Facility Inspection Tool

PURPOSE

To discuss the Office of Public School Construction's (OPSC) updated, proposed revisions to the Facility Inspection Tool (FIT).

BACKGROUND

Senate Bill (SB) 550 (Chapter 900, Statutes of 2004 - Vasconcellos) established the good repair standard in response to the settlement agreement in the case of *Williams vs. California*, which enshrined the right to "clean, safe and functional" school facilities for California students. A school facility in "good repair" was defined as "maintained in a manner that assures that it is clean, safe, and functional as determined pursuant to an interim evaluation instrument developed by the Office of Public School Construction…"

The FIT is a visual inspection tool to be used by school officials, county offices of education (COE), students, teachers, and parents to aid in ensuring that all California school children have access to clean, safe, and functional school facilities. The current FIT includes eight sections with 15 categories and a rating system to evaluate each facilities component, and a mechanism to determine the overall condition of the school.

SB 129 (Chapter 69, Budget Act of 2021 – Skinner) requires the OPSC to consult with stakeholders and consider current standards for school facilities, including, but not limited to, the Association of Physical Plant Administrator's (APPA) Operational Guidelines for Educational Facilities, and both local and state public health guidance and standards. The State Allocation Board (SAB) is required to adopt an updated Facility Inspection Tool prior to June 30, 2022, for use beginning July 1, 2022.

This item is to finalize the discussion as well as to address comments and concerns raised during, and since, the first stakeholder meeting held on November 30, 2021, and second stakeholder meeting held January 20, 2022. A copy of OPSC's agenda items for both meetings can be found here: https://www.dgs.ca.gov/OPSC/Resources/Page-Content/Office-of-Public-School-Construction-Resources-List-Folder/State-Allocation-Board-Agendas

During the stakeholder meetings, OPSC staff and stakeholders discussed OPSC's initial and revised proposals and the concepts within this item being discussed today. The meetings were recorded and can be viewed here:

- November 30, 2021 https://youtu.be/YBP912RtgWM
- January 20, 2022 https://youtu.be/0MNShRGG9Ko

<u>AUTHORITY</u>

See Attachment A.

DESCRIPTION

The existing structure of the FIT (Attachment B) includes groupings of the 15 categories into eight sections. A workgroup of experts developed a list of the characteristics necessary for a user-friendly and functional evaluation tool. Among these desired characteristics are the following: a tool that is easily understood and easy to use at onsite inspections; a rating system that is simple to calculate and easy to understand and interpret, and a format that allows for maximum flexibility for the user with the ability to provide comments, and feedback. The FIT weights the various categories of facility components which impacts the overall score. Categories with deficiencies that tend to occur more often are weighted more heavily, thus having greater influence on the overall rating. Since 2009, the FIT structure uses percentage scales to determine category rankings and overall scoring but includes methodology to eliminate situations in which schools with notable deficiencies can receive a "good" or "exemplary" rating.

"Good repair", as defined by Education Code (EC) Section 17002(d)(1), means "the facility is maintained in a manner that assures that it is clean, safe, and functional." As part of the school accountability report card, school districts and county offices of education are required to make specified assessments of school conditions including the safety, cleanliness, and adequacy of school facilities and needed maintenance to ensure good repair. In addition, beginning with the 2005/2006 fiscal year, school districts and county offices of education must certify that a facility inspection system has been established to ensure that each of its facilities is maintained in good repair to participate in the School Facility Program. This tool is intended to assist school districts and county offices of education in that determination.

Feedback Provided During the January 20, 2022 Stakeholder Meeting

OPSC has summarized the concepts discussed and is providing an explanation for OPSC's decision to include or omit each of the concepts from the current proposed changes shown on Attachment C (all current proposals are highlighted in yellow and/or double-underlined).

Topic	OPSC's Feedback
Part I. Instructions – Page 3 of 7	Instructions for the Part IIb (Cleanliness Detail) have been updated as a result of stakeholder feedback at the January meeting.
Part IIb. Cleanliness Detail - Page 6 of 7 – Stakeholders have provided feedback that the maintenance staff are generally assigned to multiple school sites or work at the district level where required, whereas custodial staff are generally assigned only at the school site level.	OPSC proposes to move the number of maintenance staff to the optional Cleanliness Detail page to provide the reader perspective on total available staff. In addition to moving it to the optional Cleanliness Detail page, maintenance staff can be reported at the district level or site level. Staff can be reported as actual number at the site or full-time equivalent if assigned to multiple sites.
Part IIa. Evaluation Detail – Page 5 of 7	Based on feedback, overall comments on a school district's plan to address any deficiencies and/or deficiencies from prior years has been moved to the bottom of the page. This is to facilitate the overall review of the evaluation and to allow the school district to address mitigation plans more globally.
Part III. Totals and Ranking – page 7 of 7 - Letter Grade Equivalent	At the January meeting, a live poll was held to gauge stakeholder feelings towards the use of letter grades for summarizing the overall condition of the facilities. Feedback favored (17 Ayes, 9 Noes) the use of letter grades for readers. OPSC proposes to list a letter grade equivalent to each facilities condition results to summarize the overall rating. • Exemplary = A+ • Good = A • Fair = B/C • Poor = D/F

DISCUSSION

OPSC is asking for final stakeholder feedback on the attached proposed changes that will be presented to the SAB. However, OPSC still welcomes new feedback and recommendations.

CLOSING REMARKS/NEXT STEPS

OPSC acknowledges that AB 2162 (Mullen), as introduced on February 15, 2022, proposes to amend the definition of "good repair" in EC Section 17002 with respect to mechanical systems. The legislation proposed that "good repair" also means "that the ventilation rate of every mechanical ventilation system used to prevent harmful exposure is tested after initial installation, alterations, or maintenance, and at least annually, by means of pitot traverse of the exhaust duct or equivalent measurements, and that records of these tests are maintained for at least five years". As the legislation has only recently been introduced, OPSC is not proposing any changes to the FIT as this time as a result of the legislation.

OPSC will review any new feedback from stakeholders prior to finalizing the proposal for the SAB's consideration. Once OPSC is ready for presentation of the updated FIT to the SAB, OPSC will notify all interested parties through our email notification system. If you would like to subscribe to our email list, please visit this link:

https://public.govdelivery.com/accounts/CADGS/subscriber/topics?qsp=CADGS_4

Any stakeholder wishing to provide feedback should email OPSCCommunications@dgs.ca.gov by end of day, March 18, 2022.

ATTACHMENT A

AUTHORITY

Education Code (EC) Section 1240

The county superintendent of schools shall do all of the following:

- (a) Superintend the schools of that county.
- (b) Maintain responsibility for the fiscal oversight of each school district in that county pursuant to the authority granted by this code.
- (c) (1) Visit and examine each school in the county at reasonable intervals to observe its operation and to learn of its problems. The county superintendent of schools annually may present a report of the state of the schools in the county, and of the county office of education, including, but not limited to, observations from visiting the schools, to the board of education and the board of supervisors of the county.
- (2) (A) For fiscal years 2004–05 to 2006–07, inclusive, to the extent that funds are appropriated for purposes of this paragraph, the county superintendent, or their designee, annually shall submit a report, at a regularly scheduled November board meeting, to the governing board of each school district under their jurisdiction, the county board of education of the county, and the board of supervisors of the county describing the state of the schools in the county or of the county office of education that are ranked in deciles 1 to 3, inclusive, of the 2003 base Academic Performance Index (API), as described in subdivision (b) of Section 17592.70, and shall include, among other things, observations from visiting the schools and determinations for each school regarding the status of all of the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies. As a condition for receipt of funds, the county superintendent, or their designee, shall use a standardized template to report the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies, unless the current annual report being used by the county superintendent, or their designee, already includes those details for each school. (B) Commencing with the 2007–08 fiscal year, the county superintendent, or their designee, annually shall submit a report, at a regularly scheduled November board meeting, to the governing board of each school district under their jurisdiction, the county board of education of the county, and the board of supervisors of the county describing the state of the schools in the county or of the county office of education that are ranked in deciles 1 to 3, inclusive, of the 2006 base API, pursuant to former Section 52056, as that section read on June 30, 2013. The annual report shall include the determinations for each school made by the county superintendent, or their designee, regarding the status of all of the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies, and the county superintendent, or their designee, shall use a standardized template to report the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies, unless the current annual report being used by the county superintendent, or their designee, already includes those details with the same level of specificity that is otherwise required by this subdivision. For purposes of this section, schools ranked in deciles 1 to 3, inclusive, on the
- (i) The school meets all of the following criteria:

followina:

- (I) Does not have a valid base API score for 2006.
- (II) Is operating in fiscal year 2007–08 and was operating in fiscal year 2006–07 during the Standardized Testing and Reporting (STAR) Program testing period.

2006 base API shall include schools determined by the department to meet either of the

- (III) Has a valid base API score for 2005 that was ranked in deciles 1 to 3, inclusive, in that year.
- (ii) The school has an estimated base API score for 2006 that would be in deciles 1 to 3, inclusive.
- (C) The department shall estimate an API score for any school meeting the criteria of subclauses (I) and (II) of clause (i) of subparagraph (B) and not meeting the criteria of subclause (III) of clause (i) of subparagraph (B), using available test scores and weighting or corrective factors it deems appropriate. The department shall post the API scores on its internet website on or before May 1.
- (D) For purposes of this section, references to schools ranked in deciles 1 to 3, inclusive, on the 2006 base API shall exclude schools operated by county offices of education pursuant to Section 56140, as determined by the department.
- (E) (i) Commencing with the 2010–11 fiscal year and every third year thereafter, the Superintendent shall identify a list of schools ranked in deciles 1 to 3, inclusive, of the API for which the county superintendent, or their designee, annually shall submit a report, at a regularly scheduled November board meeting, to the governing board of each school district under their jurisdiction, the county board of education of the county, and the board of supervisors of the county that describes the state of the schools in the county or of the county office of education that are ranked in deciles 1 to 3, inclusive, of the base API, as defined in clause (ii).
- (ii) For the 2010–11 fiscal year, the list of schools ranked in deciles 1 to 3, inclusive, of the base API shall be updated using the criteria set forth in clauses (i) and (ii) of subparagraph (B), subparagraph (C), and subparagraph (D), as applied to the 2009 base API and thereafter shall be updated every third year using the criteria set forth in clauses (i) and (ii) of subparagraph (B), subparagraph (C), and subparagraph (D), as applied to the base API of the year preceding the third year consistent with clause (i).
- (iii) The annual report shall include the determinations for each school made by the county superintendent, or their designee, regarding the status of all of the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies, and the county superintendent, or their designee, shall use a standardized template to report the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies, unless the current annual report being used by the county superintendent, or their designee, already includes those details with the same level of specificity that is otherwise required by this subdivision.
- (F) The county superintendent of the Counties of Alpine, Amador, Del Norte, Mariposa, Plumas, and Sierra, and the City and County of San Francisco shall contract with another county office of education or an independent auditor to conduct the required visits and make all reports required by this paragraph.
- (G) On a quarterly basis, the county superintendent, or their designee, shall report the results of the visits and reviews conducted that quarter to the governing board of the school district at a regularly scheduled meeting held in accordance with public notification requirements. The results of the visits and reviews shall include the determinations of the county superintendent, or their designee, for each school regarding the status of all of the circumstances listed in subparagraph (I) and teacher misassignments and teacher vacancies. If the county superintendent, or their designee, conducts no visits or reviews in a quarter, the quarterly report shall report that fact.
- (H) The visits made pursuant to this paragraph shall be conducted at least annually and shall meet the following criteria:

- (i) Minimize disruption to the operation of the school.
- (ii) Be performed by individuals who meet the requirements of Section 45125.1.
- (iii) Consist of not less than 25 percent unannounced visits in each county. During unannounced visits in each county, the county superintendent shall not demand access to documents or specific school personnel. Unannounced visits shall only be used to observe the condition of school repair and maintenance, and the sufficiency of instructional materials, as defined by Section 60119.
- (I) The priority objective of the visits made pursuant to this paragraph shall be to determine the status of all of the following circumstances:
- (i) Sufficient textbooks, as defined in Section 60119 and as specified in subdivision (i).
- (ii) The condition of a facility that poses an emergency or urgent threat to the health or safety of pupils or staff, as described in school district policy or paragraph (1) of subdivision (c) of Section 17592.72.
- (iii) The accuracy of data reported on the school accountability report card with respect to the availability of sufficient textbooks and instructional materials, as defined by Section 60119, and the safety, cleanliness, and adequacy of school facilities, including good repair, as required by Sections 17014, 17032.5, 17070.75, and 17089.
- (J) The county superintendent may make the status determinations described in subparagraph (I) during a single visit or multiple visits. In determining whether to make a single visit or multiple visits for this purpose, the county superintendent shall take into consideration factors such as cost-effectiveness, disruption to the schoolsite, deadlines, and the availability of qualified reviewers.
- (K) If the county superintendent determines that the condition of a facility poses an emergency or urgent threat to the health or safety of pupils or staff as described in school district policy or paragraph (1) of subdivision (c) of Section 17592.72, or is not in good repair, as specified in subdivision (d) of Section 17002 and required by Sections 17014, 17032.5, 17070.75, and 17089, the county superintendent, among other things, may do any of the following:
- (i) Return to the school to verify repairs.
- (ii) Prepare a report that specifically identifies and documents the areas or instances of noncompliance if the school district has not provided evidence of successful repairs within 30 days of the visit of the county superintendent or, for major projects, has not provided evidence that the repairs will be conducted in a timely manner. The report may be provided to the governing board of the school district. If the report is provided to the school district, it shall be presented at a regularly scheduled meeting held in accordance with public notification requirements. The county superintendent shall post the report on the internet website of the county superintendent. The report shall be removed from the internet website when the county superintendent verifies the repairs have been completed.

. . .

EC Section 17002

The following terms wherever used or referred to in this chapter, shall have the following meanings, respectively, unless a different meaning appears from the context:

- (a) "Apportionment" means a reservation of funds necessary to finance the cost of any project approved by the board for lease to an applicant school district.
- (b) "Board" means the State Allocation Board.
- (c) "Cost of project" includes, but is not limited to, the cost of all real estate property rights, and easements acquired, and the cost of developing the site and streets and utilities immediately adjacent thereto, the cost of construction, reconstruction, or modernization of buildings and the furnishing and equipping, including the purchase of educational technology hardware, of those buildings, the supporting wiring and cabling, and the technological modernization of existing buildings to support that hardware, the cost of plans, specifications, surveys, and estimates of costs, and other expenses that are necessary or incidental to the financing of the project. For purposes of this section, "educational technology hardware" includes, but is not limited to, computers, telephones, televisions, and video recording equipment.
- (d) (1) "Good repair" means the facility is maintained in a manner that assures that it is clean, safe, and functional as determined pursuant to a school facility inspection and evaluation instrument developed by the Office of Public School Construction and approved by the board or a local evaluation instrument that meets the same criteria. Until the school facility inspection and evaluation instrument is approved by the board, "good repair" means the facility is maintained in a manner that assures that it is clean, safe, and functional as determined by the interim evaluation instrument developed by the Office of Public School Construction or a local evaluation instrument that meets the same criteria as the interim evaluation instrument. The school facility inspection and evaluation instrument and local evaluation instruments that meet the minimum criteria of this subdivision shall not require capital enhancements beyond the standards to which the facility was designed and constructed. In order to provide that school facilities are reviewed to be clean, safe, and functional, the school facility inspection and evaluation instrument and local evaluation instruments shall include at least the following criteria:
- (A) Gas systems and pipes appear and smell safe, functional, and free of leaks.
- (B) Mechanical systems, including heating, ventilation, and air-conditioning systems, satisfy the following:
- (i) Are functional and unobstructed.
- (ii) Appear to supply adequate amount of air to all classrooms, work spaces, and facilities.
- (iii) Maintain interior temperatures within normally acceptable ranges.
- (C) Doors and windows are intact, functional, and open, close, and lock as designed, unless there is a valid reason they should not function as designed.
- (D) Fences and gates are intact, functional, and free of holes and other conditions that could present a safety hazard to pupils, staff, or others. Locks and other security hardware function as designed.
- (E) Interior surfaces, including walls, floors, and ceilings, are free of safety hazards from tears, holes, missing floor and ceiling tiles, torn carpet, water damage, or other cause. Ceiling tiles are intact. Surfaces display no evidence of mold or mildew.
- (F) Hazardous and flammable materials are stored properly. No evidence of peeling, chipping, or cracking paint is apparent. No indicators of mold, mildew, or asbestos exposure are evident. There is no apparent evidence of hazardous materials that may pose a threat to the health and safety of pupils or staff.

- (G) Structures, including posts, beams, supports for portable classrooms and ramps, and other structural building members appear intact, secure, and functional as designed. Ceilings and floors are not sloping or sagging beyond their intended design. There is no visible evidence of severe cracks, dry rot, mold, or damage that undermines structural components.
- (H) Fire sprinklers, fire extinguishers, emergency alarm systems, and all emergency equipment and systems appear to be functioning properly. Fire alarm pull stations are clearly visible. Fire extinguishers are current and placed in all required areas, including every classroom and assembly area. Emergency exits are clearly marked and unobstructed.
- (I) Electrical systems, components, and equipment, including switches, junction boxes, panels, wiring, outlets, and light fixtures, are securely enclosed, properly covered and guarded from pupil access, and appear to be working properly.
- (J) Lighting appears to be adequate and working properly. Lights do not flicker, dim, or malfunction, and there is no unusual hum or noise from light fixtures. Exterior lights onsite appear to be working properly.
- (K) No visible or odorous indicators of pest or vermin infestation are evident.
- (L) Interior and exterior drinking fountains are functional, accessible, and free of leaks. Drinking fountain water pressure is adequate. Fountain water is clear and without unusual taste or odor, and moss, mold, or excessive staining is not evident.
- (M) Restrooms and restroom fixtures satisfy the following:
- (i) Are functional.
- (ii) Appear to be maintained and stocked with supplies regularly.
- (iii) Appear to be accessible to pupils during the schoolday.
- (iv) Appear to be in compliance with Section 35292.5.
- (N) The sanitary sewer system controls odor as designed, displays no signs of stoppage, backup, or flooding, in the facilities or on school grounds, and appears to be functioning properly.
- (O) Roofs, gutters, roof drains, and downspouts appear to be functioning properly and are free of visible damage and evidence of disrepair when observed from the ground inside and outside the building.
- (P) The school grounds do not exhibit signs of drainage problems, such as visible evidence of flooded areas, eroded soil, water damage to asphalt playgrounds or parking areas, or clogged storm drain inlets.
- (Q) Playground equipment and exterior fixtures, seating, tables, and equipment are functional and free of significant cracks, trip hazards, holes, deterioration that affects functionality or safety, and other health and safety hazards.
- (R) School grounds, fields, walkways, and parking lot surfaces are free of significant cracks, trip hazards, holes, deterioration that affects functionality or safety, and other health and safety hazards.
- (S) Overall cleanliness of the school grounds, buildings, common areas, and individual rooms demonstrates that all areas appear to have been cleaned regularly and are free of accumulated refuse and unabated graffiti. Restrooms, drinking fountains, and food preparation or serving areas appear to have been cleaned each day that the school is in session.
- (2) (A) On or before January 1, 2007, the Office of Public School Construction shall develop the school facility inspection and evaluation instrument and instructions for users. The school facility inspection and evaluation instrument and local evaluation instruments that meet the minimum criteria of this subdivision shall include a system that will evaluate each facility, based on the criteria listed in paragraph (1), on a scale of "good," "fair," or "poor," as developed by the Office of Public School Construction, and provide an overall summary of the conditions at each school on a scale of "exemplary," "good," "fair," or "poor."

- (B) On or before July 1, 2007, the Office of Public School Construction, in consultation with county offices of education, shall define objective criteria for determining the overall summary of the conditions of schools.
- (C) For purposes of this paragraph, "users" means local educational agencies that participate in either of the programs established pursuant to this chapter, Chapter 12.5 (commencing with Section 17070.10), or Section 17582.
- (e) "Lease" includes a lease with an option to purchase.
- (f) "Project" means the facility being constructed or acquired by the state for rental to the applicant school district and may include the reconstruction or modernization of existing buildings, construction of new buildings, the grading and development of sites, acquisition of sites therefor and any easements or rights-of-way pertinent thereto or necessary for its full use including the development of streets and utilities.
- (g) "Property" includes all property, real, personal or mixed, tangible or intangible, or any interest therein necessary or desirable for carrying out the purposes of this chapter. (Amended by Stats. 2009, Ch. 88, Sec. 20. (AB 176) Effective January 1, 2010.)

Senate Bill (SB) 129 (Chapter 69, Budget Act of 2021 – Skinner)

- (a) The Office of Public School Construction shall consult with stakeholders such as local educational agency facilities staff, classified employees providing custodial services, certificated employees, local and state public health officials, and other experts in clean, safe, and functional school facilities. The Office of Public School Construction shall consider current standards for school facilities, including, but not limited to, the Association of Physical Plant Administrator's Operational Guidelines for Educational Facilities and both local and state public health guidance and standards.
- (c) The State Allocation Board shall adopt an updated Facility Inspection Tool prior to June 30, 2022, for use beginning July 1, 2022.

(REV 05/09)

ATTACHMENT B

Current Facility Inpection Tool (Rev. 05/09)

STATE ALLOCATION BOARD

OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 1 of 6

GENERAL INFORMATION

FACILITY INSPECTION TOOL

SCHOOL FACILITY CONDITIONS EVALUATION

The Facility Inspection Tool (FIT) has been developed by the Office of Public School Construction to determine if a school facility is in "good repair" as defined by Education Code (EC) Section 17002(d)(1) and to rate the facility pursuant to EC Section 17002(d)(2). The tool is designed to identify areas of a school site that are in need of repair based upon a visual inspection of the site. In addition, the EC specifies the tool should not be used to require capital enhancements beyond the standards to which the facility was designed and constructed.

Good repair is defined to mean that the facility is maintained in a manner that ensures that it is clean, safe, and functional. As part of the school accountability report card, school districts and county offices of education are required to make specified assessments of school conditions including the safety, cleanliness, and adequacy of school facilities and needed maintenance to ensure good repair. In addition, beginning with the 2005/2006 fiscal year, school districts and county offices of education must certify that a facility inspection system has been established to ensure that each of its facilities is maintained in good repair in order to participate in the School Facility Program and the Deferred Maintenance Program. This tool is intended to assist school districts and county offices of education in that determination.

County superintendents are required to annually visit the schools in the county of his or her office as determined by EC Section 1240. Further, EC Section 1240(c)(2)(I), states the priority objective of the visits made shall be to determine the status of the condition of a facility that poses an emergency or urgent threat to the health or safety of pupils or staff as defined in district policy, or as defined by EC Section 17592.72(c) and the accuracy of data reported on the school accountability report card with the respect to the safety, cleanliness, and adequacy of school facilities, including good repair as required by EC Sections 17014, 17032.5, 17070.75, and 17089. This tool is also intended to assist county offices of education in performing these functions.

The EC also allows individual entities to adopt a local evaluation instrument to be used in lieu of the FIT provided the local instrument meets the criteria specified in EC Section 17002(d) and as implemented in the FIT. Any evaluation instrument adopted by the local educational agency for purpose of determining whether a school facility is maintained in good repair may include any number of additional items but must minimally include the criteria and rating scheme contained in the FIT.

USER INSTRUCTIONS

The FIT is comprised of three parts as follows:

Part I, Good Repair Standard outlines the school facility systems and components, as specified in EC Section 17002(d)(1), that should be considered in the inspection of a school facility to ensure it is maintained in a manner that assures it is clean, safe and functional. Each of the 15 sections in the Good Repair Standard provides a description of a minimum standard of good repair for various school facility categories. Each section also provides examples of clean, safe and functional conditions. The list of examples is not exhaustive. If an evaluator notes a condition that is not mentioned in the examples but constitutes a deficiency, the evaluator can note such deficiency in the applicable category as "other."

Some of the conditions cited in the Good Repair Standard represent items that are critical to the health and safety of pupils and staff. Any deficiencies in these items require immediate attention and, if left unmitigated, could cause severe and immediate injury, illness or death of the occupants. They constitute extreme deficiencies and indicate that the particular building system evaluated failed to meet the standard of good repair at that school site. These critical conditions are identified with underlined text followed by an (X) on the Good Repair Standard. If the underlined statement is not true, then there is an extreme deficiency (to be marked as an "X" on the Evaluation Detail) resulting in a "poor" rating for the applicable category. It is important to note that the list of extreme deficiencies noted in the Good Repair Standard is not exhaustive. Any other deficiency not included in the criteria but meeting the definition above can be noted by the evaluator and generate a poor rating.

Part II, Evaluation Detail is a site inspection template to be used to evaluate the areas of a school on a category by category basis. The design of the inspection template allows for the determination of the scope of conditions across campus. In evaluating each area or space, the user should review each of the 15 categories identified in the Good Repair Standard and make a determination of whether a particular area is in good repair. Once the determination is made, it should be recorded on the Evaluation Detail, as follows:

014	No Deficiency - Good Repair: Mark "OK" if all statements in the Good Repair
OK	Standard are true, and there is no indication of a deficiency in the specific category.
	Deficiency: Mark "D" if one or more statement(s) in the Good Repair Standard
D	for the specific category is not true, or if there is other clear evidence of the
	need for repair.
	Extreme Deficiency: Indicate "X" if the area has a deficiency that is
Х	considered an "Extreme Deficiency" in the Good Repair Standard or there is a
	condition that qualifies as an extreme deficiency but is not noted in the Good
	Repair Standard.
NA	Not Applicable: If the Good Repair Standard category (building system or
IVA	component) does not exist in the area evaluated, mark "NA".

(REV 05/09)

FACILITY INSPECTION TOOL SCHOOL FACILITY CONDITIONS EVALUATION

ATTACHMENT B

Current Facility Inpection Tool (Rev. 05/09)

STATE ALLOCATION BOARD OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 2 of 6

Below are suggested methods for evaluating various systems and areas:

- Gas and Sewer are major building systems that may span the entire school campus but may not be evident as applicable building systems in each classroom or common areas. However, because a deficiency in either of these systems could become evident and present a health and safety threat anywhere on campus, the user should not mark "NA" and should instead include an evaluation of these systems in each building space.
- Roofs can be easily evaluated for stand alone areas, such as portable classrooms. For permanent buildings containing several areas to be evaluated, roofs should be considered as parts of individual areas in order to accurately account for a scope of any roofing deficiency. For example, a 10 classroom building contains damaged gutters on one side of the building, spanning across five classrooms. Therefore, an evaluator should mark five classrooms as deficient in the roof category and the other five classrooms as in good repair, assuming there are no other visible deficiencies related to
- Overall Cleanliness is intended to be used to evaluate the cleanliness of each space. For example, a user should note a deficiency due to dirty surfaces in Overall Cleanliness, rather than Interior Surfaces. At the same time, the user should note such deficiency only in Overall Cleanliness in order to avoid accounting for such deficiency twice, i.e. in two sections.
- The tool is designed to evaluate stand-alone restrooms as separate areas. However, restrooms contained within other spaces, such as a kindergarten classroom or a library, can be evaluated as part of that area under Restrooms. If the area evaluated does not contain a restroom, Restrooms should be marked "NA."
- Drinking fountains can exist within individual classrooms or areas, right outside of classrooms or restrooms or other areas, or as stand alone fixtures on playgrounds and sports fields. If a drinking fountain or a set of fountains is located inside a building or immediately outside the area being evaluated, it should be included in the evaluation of that area under Drinking Fountains. If a fountain is located on the school grounds, it should be evaluated as part of that outside space. If there is no drinking fountain in the area evaluated, Drinking Fountains should be marked "NA."
- Playgrounds/School Grounds, should be evaluated as separate areas by dividing a campus into sections with defined borders. In this case, several sections of the good repair criteria would not apply to the evaluation, as they do not exist outside of physical building areas, such as Structural Damage and Fire Safety, for example.

Part III includes the Category Totals and Ranking, the Overall Rating, and a section for Comments and Rating Explanation.

Once the inspector completes the site inspection, he or she must total the number of areas evaluated. The inspector must also count all of the spaces deemed in good repair, deficient, extremely deficient, or not applicable under each of the 15 sections. Next, the evaluator must determine the condition of each section by taking the ratio of the number of areas deemed in good repair to the number of areas being evaluated (after subtracting nonapplicable spaces from the total number of areas evaluated). If any of the 15 sections received a rating of extreme deficiency, the ratio (i.e., the percentage of good repair) for that section and the category the section is in should default to zero. The total percent per category (A through H) is determined by the total of all percentages of systems in good repair divided by the number of sections in that category. For example, to determine the total percent for the Structural category, add the percentages for the Structural Damage and Roof sections and divide the result by two.

Next, the overall school site score is determined by computing the average percentage rating of the eight categories (i.e., the total of all percentages divided by eight). Finally, the rater should determine the overall School Rating by applying the Percentage Range in the table provided in Part III to the average percentage calculated and taking into consideration the Rating Description provided in the same table.

*Although the FIT is designed to evaluate each school site within a reasonable range of facility conditions, it is possible that an evaluator may identify critical facility conditions that result in an Overall School Rating that does not reflect the urgency and severity of those deficiencies and/or does not match the rating's Description in Part III. In such instances, the evaluator may reduce the resulting school score by one or more grade categories and describe the reasons for the reduction in the space provided for Comments and Rating Explanation.

When completing Part III of the FIT, the instructor should note the date and time of the inspection as well as weather conditions and any other pertinent inspection information in the specific areas provided and utilize the Comments and Rating Explanation Section if needed.

FACILITY INSPECTION TOOL SCHOOL FACILITY CONDITIONS EVALUATION

ATTACHMENT B

Current Facility Inpection Tool (Rev. 05/09)

STATE ALLOCATION BOARD OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 3 of 6

PART I: GOOD REPAIR STANDARD

(X): If underlined statement is not true, then this is an extreme deficiency (marked as an "X") on the Evaluation Detail resulting in a "poor" rating for the applicable category.

Gas Leaks

(REV 05/09)

Gas systems and pipes appear safe, functional, and free of leaks. Examples include but are not limited to the following:

- a. There is no odor that would indicate a gas leak. (X)
- b. Gas pipes are not broken and appear to be in good working order. (X)
- c. Other

Mechanical Systems

Heating, ventilation, and air conditioning systems (HVAC) as applicable are functional and unobstructed. Examples include but are not limited to the following:

- a. The HVAC system is operable. (X)
- b. The facilities are ventilated (via mechanical or natural ventilation).
- c. The ventilation units are unobstructed and vents and grills are without evidence of excessive dirt or dust.
- d. There appears to be an adequate air supply to all classrooms, work spaces, and facilities (i.e. no strong odor is present, air is not stuffy)
- e. Interior temperatures appear to be maintained within normally accepted ranges.
- f. The ventilation units are not generating any excessive noise or vibrations.
- g. Other

Sewer

Sewer line stoppage is not evident. Examples include but are not limited to the following:

- a. There are no obvious signs of flooding caused by sewer line back-up in the facilities or on the school grounds. (X)
- b. The sanitary system controls odors as designed.
- c. Other

Interior Surfaces (Floors, Ceilings, Walls, and Window Casings)

Interior surfaces appear to be clean, safe, and functional. Examples include but are not limited to the following:

- a. Walls are free of hazards from tears and holes.
- b. Flooring is free of hazards from torn carpeting, missing floor tiles, holes.
- c. Ceiling is free of hazards from missing ceiling tiles and holes.
- d. There is no evidence of water damage (e.g. no condensation, dampness, staining, warping, peeling, mineral deposits, etc.)
- e. Other

Overall Cleanliness

School grounds, buildings, common areas, and individual rooms appear to have been cleaned regularly. Examples include but are not limited to the following:

- a. Area(s) evaluated is free of accumulated refuse, dirt, and grime.
- b. Area(s) evaluated is free of unabated graffiti.
- c. Restrooms, drinking fountains, and food preparation or serving areas appear to have been cleaned each day that school is in session.
- d. Other

Pest/Vermin Infestation

Pest or vermin infestation are not evident. Examples include but are not limited to the following:

- a. There is no evidence of a major pest or vermin infestation. (X)
- b. There are no holes in the walls, floors, or ceilings.
- c. Rodent droppings or insect skins are not evident.
- d. Odor caused by a pest or vermin infestation is not evident.
- e. There are no live rodents observed.
- f. Other

Electrical (Interior and Exterior)

- 1. There is no evidence that any portion of the school has a power failure. (X)
- 2. Electrical systems, components, and equipment appear to be working properly. Examples include but are not limited to the following:
- a. There are no exposed electrical wires. Electrical equipment is properly covered and secured from pupil access. (X)
- b. Outlets, access panels, switch plates, junction boxes and fixtures are properly covered and secured from pupil access.
- c. Other
- 3. Lighting appears to be adequate and working properly, including exterior lights. Examples include but are not limited to the following:
- a. Lighting appears to be adequate.
- b. Lighting is not flickering.
- c. There is no unusual hum or noise from the light fixtures.
- d. Other

FACILITY INSPECTION TOOL

SCHOOL FACILITY CONDITIONS EVALUATION

ATTACHMENT B

Current Facility Inpection Tool (Rev. 05/09)

OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 4 of 6

STATE ALLOCATION BOARD

Restrooms

(REV 05/09)

Restrooms in the vicinity of the area being evaluated appear to be accessible during school hours, clean, functional and in compliance with SB 892 (EC Section 35292.5). The following are examples of compliance with SB 892:

- a. Restrooms are maintained and cleaned regularly.
- b. Restrooms are fully operational.
- c. Restrooms are stocked with toilet paper, soap, and paper towels.
- d. Restrooms are open during school hours.
- e. Other

Sinks/Fountains (Inside and Outside)

Drinking fountains appear to be accessible and functioning as intended. Examples include but are not limited to the following:

- a. Drinking fountains are accessible.
- b. Water pressure is adequate.
- c. A leak is not evident.
- d. There is no moss, mold, or excessive staining on the fixtures.
- e. The water is clear and without unusual taste or odor.
- f. Other

Fire Safety

The fire equipment and emergency systems appear to be functioning properly. Examples include but are not limited to the following:

- a. The fire sprinklers appear to be in working order (e.g., there are no missing or damaged sprinkler heads). (X)
- b. Emergency alarms appear to be functional. (X)
- c. Emergency exit signs function as designed, exits are unobstructed. (X)
- d. Fire extinguishers are current and placed in all required areas.
- e. Fire alarms pull stations are clearly visible.
- f. Other

Hazardous Materials (Interior and Exterior)

There does not appear to be evidence of hazardous materials that may pose a threat to pupils or staff. Examples include but are not limited to the following:

- a. Hazardous chemicals, chemical waste, and flammable materials are stored properly (e.g. locked and labeled properly). (X)
- b. Paint is not peeling, chipping, or cracking.
- c. There does not appear to be damaged tiles or other circumstances that may indicate asbestos exposure.
- d. Surfaces (including floors, ceilings, walls, window casings, HVAC grills) appear to be free of mildew, mold odor and visible mold.
- e. Other

Structural Damage

There does not appear to be structural damage that has created or could create hazardous or uninhabitable conditions. Examples include but are not limited to the following:

- a. Severe cracks are not evident. (X)
- b. Ceilings & floors are not sloping or sagging beyond their intended design. (X)
- c. Posts, beams, supports for portable classrooms, ramps, and other structural building members appear to be intact, secure and functional as designed. (X)
- d. There is no visible evidence of severe cracks, dry rot, mold, or damage that undermines the structural components. (X)
- e. Other

Roofs (observed from the ground, inside/outside the building)

Roof systems appear to be functioning properly.

Examples include but are not limited to the following:

- a. Roofs, gutters, roof drains, and down spouts are free of visible damage.
- b. Roofs, gutters, roof drains, and down spouts are intact.
- c. Other

Playground/School Grounds

The playground equipment and school grounds in the vicinity of the area being evaluated appear to be clean, safe, and functional. Examples include but are not limited to the following:

- a. Significant cracks, trip hazards, holes and deterioration are not found.
- b. Open "S" hooks, protruding bolt ends, and sharp points/edges are not found in the playground equipment.
- c. Seating, tables, and equipment are functional and free of significant cracks.
- d. There are no signs of drainage problems, such as flooded areas, eroded soil, water damage to asphalt, or clogged storm drain inlets.
- e. Other

Windows/Doors/Gates/Fences (Interior and exterior)

Conditions that pose a safety and/or security risk are not evident. Examples include but are not limited to the following:

- a. There is no exposed broken glass accessible to pupils and staff. (X)
- b. Exterior doors and gates are functioning and do not pose a security risk. (X)
- c. Windows are intact and free of cracks.
- d. Windows are functional and open, close, and lock as designed, unless there is a valid reason they should not function as designed.
- e. Doors are intact.
- f. Doors are functional and open, close, and lock as designed, unless there is a valid reason they should not function as designed.
- g. Gates and fences appear to be functional.
- h. Gates and fences are intact and free of holes and other conditions that could present a safety hazard to pupils, staff, or others.
- i. Other

(REV 05/09)

ATTACHMENT B Current Facility Inpection Tool (Rev. 05/09)

STATE ALLOCATION BOARD OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 5 of 6

PART II:	EVALUATION [DETAIL	Date	of Inspection:			School Name:									rage 5 of 0
	CATEGORY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
AREA		GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOM	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/S CHOOL GROUNDS	WINDOWS/ DOORS/ GATES/FENCES
		COMMENTS:														
		COMMENTS:														
		COMMENTS:														
		COMMENTS:			•		•	•	•				•			
		COMMENTS:		'	'		'	'			•					
		COMMENTS:			'		'	'	•							
		COMMENTS:														
		COMMENTS:														
		COMMENTS:														'
		COMMENTS:														
		COMMENTS:		<u> </u>	<u> </u>		<u> </u>	<u> </u>	l .				<u> </u>			<u>'</u>

Marks: **OK** = Good Repair; **D** = Deficiency; **X** = Extreme Deficiency; **NA** = Not Applicable

Use additional Area Lines as necessary.

STATE OF CALIFORNIA

ATTACHMENT B

STATE ALLOCATION BOARD Current Facility Inpection Tool (Rev. 05/09) OFFICE OF PUBLIC SCHOOL CONSTRUCTION

FACILITY INSPECTION TOOL(FIT) SCHOOL FACILITY CONDITIONS EVALUATION (REV 05/09)

Page 6 of 6

																r ago o or o			
SCHOOL DISTRICT/CO	OUNTY OFFICE OF EDUCA	ATION									COUNTY								
SCHOOL SITE											SCHOOL TYPE (GRADE LEVELS) NUMBER OF CLASSROOMS ON SITE								
INSPECTOR'S NAME					INSPECTOR'S TITI	.E					NAME OF DISTRICT REPRESENTATIVE ACCOMPANYING THE INSPECTOR(S) (IF APPLICABLE)								
TIME OF INSPECTION					WEATHER CONDI	TION AT TIME OF	INSPECTION												
PART III: C	CATEGORY T	OTALS A	ND RANK	ING (rou	nd all calcu	lations to	two decin	nal places)											
TOTAL	CATEGORY		A. SYSTEMS		B. INTERIOR		NLINESS	D. ELECTRICAL	E. RESTROOF	MS/FOUNTAINS	F. SA	FETY	G. STRUC	TURAL	H. EX	TERNAL			
NUMBER OF AREAS EVALUATED	TOTALS	GAS LEAKS	MECH/HVAC	SEWER	INTERIOR SURFACES	OVERALL CLEANLINESS	PEST/VERMIN INFESTATION	ELECTRICAL	RESTROOMS	SINKS/ FOUNTAINS	FIRE SAFETY	HAZARDOUS MATERIALS	STRUCTURAL DAMAGE	ROOFS	PLAYGROUND/ SCHOOL GROUNDS	WINDOWS/DOORS/ GATES/FENCES			
LVALOATED	Number of "OK"s:																		
\	Number of "D"s:																		
	Number of "X"s:																		
	Number of N/As:																		
Number of "	em in Good Repair OK"s divided by eas - "NA"s)*																		
	nt per Category e of above)*													Į.					
GOOD = FAIR = 7	Circle one) : 90%-100% '5%-89.99% 0%-74.99%																		
		*N	ote: An extre	eme deficier	ncy in any are	a automatic	ally results ir	n a "poor" ranki	ng for that cat	egory and a z	ero for "Tota	l Percent pe	r Category".						
OVERAL	L RATING:	DETERMINE	AVERAGE P	ERCENTAG	E OF 8 CATEG	ORIES ABOV	Æ	→			SCHOOL RA	ATING**	→						
		**For S	School Rating	g, apply the	Percentage F	Range below	to the avera	age percentage	determined a	above, taking i	nto account	the rating De	escription belo	w.					
PERCENTAGE								DESCRIPTION								RATING			
99%-100%	The school meets	most or all sta	ndards of good	l repair. Defic	iencies noted, i	f any, are not	significant and	or impact a very	small area of th	ne school.						EXEMPLARY			
90%-98.99%	The school is main	tained in good	repair with a r	number of nor	n-critical deficie	ncies noted. T	hese deficiend	cies are isolated,	and/or resulting	from minor wea	r and tear, and	l/or in the proc	ess of being mi	tigated.		GOOD			
75.%-89.99%	The school is not in	n good repair.	Some deficien	cies noted ar	e critical and/or	widespread. F	Repairs and/or	additional mainte	enance are nece	essary in severa	l areas of the	school site.				FAIR			
0%-74.99%	The school facilitie	s are in poor c	ondition. Defic	iencies of val	ious degrees h	ave been note	d throughout t	he site. Major rep	pairs and mainte	nance are nece	ssary througho	out the campus	S			POOR			
COMMENTS	AND RATING	EXPLANA	TION:																

STATE OF CALIFORNIA

FACILITY INSPECTION TOOL

SCHOOL FACILITY CONDITIONS EVALUATION
(REV 05/0904/22)

Page 1 of 7

GENERAL INFORMATION

The Facility Inspection Tool (FIT) has been developed by the Office of Public School Construction to determine if a school facility is in "good repair" as defined by Education Code (EC) Section 17002(d)(1) and to rate the facility pursuant to EC Section 17002(d)(2). The tool is designed to identify areas of a school site that are in need of repair based upon a visual inspection of the site. In addition, the EC specifies the tool should not be used to require capital enhancements beyond the standards to which the facility was designed and constructed.

Good repair is defined to mean that the facility is maintained in a manner that ensures that it is clean, safe, and functional. As part of the school accountability report card, school districts and county offices of education are required to make specified assessments of school conditions including the safety, cleanliness, and adequacy of school facilities and needed maintenance to ensure good repair. In addition, beginning with the 2005/2006 fiscal year, school districts and county offices of education must certify that a facility inspection system has been established to ensure that each of its facilities is maintained in good repair in order to participate in the School Facility Program and the Deferred Maintenance Program. This tool is intended to assist school districts and county offices of education in that determination.

County superintendents are required to annually visit the schools in the county of his or her office as determined by EC Section 1240. Further, EC Section 1240(c)(2)(I), states the priority objective of the visits made shall be to determine the status of the condition of a facility that poses an emergency or urgent threat to the health or safety of pupils or staff as defined in district policy, or as defined by EC Section 17592.72(c) and the accuracy of data reported on the school accountability report card with the respect to the safety, cleanliness, and adequacy of school facilities, including good repair as required by EC Sections 17014, 17032.5, 17070.75, and 17089. This tool is also intended to assist county offices of education in performing these functions.

The EC also allows individual entities to adopt a local evaluation instrument to be used in lieu of the FIT provided the local instrument meets the criteria specified in EC Section 17002(d) and as implemented in the FIT. Any evaluation instrument adopted by the local educational agency for purpose of determining whether a school facility is maintained in good repair may include any number of additional items but must minimally include the criteria and rating scheme contained in the FIT.

USER INSTRUCTIONS

The FIT is comprised of three parts as follows:

Part I, Good Repair Standard outlines the school facility systems and components, as specified in EC Section 17002(d)(1), that should be considered in the inspection of a school facility to ensure it is maintained in a manner that assures it is clean, safe and functional. Each of the 15 sections in the Good Repair Standard provides a description of a minimum standard of good repair for various school facility categories. Each section also provides examples of clean, safe and functional conditions. The list of examples is not exhaustive. If an evaluator notes a condition that is not mentioned in the examples but constitutes a deficiency, the evaluator can note such deficiency in the applicable category as "other."

Some of the conditions cited in the Good Repair Standard represent items that are critical to the health and safety of pupils and staff. Any deficiencies in these items require immediate attention and, if left unmitigated, could cause severe and immediate injury, illness or death of the occupants. They constitute extreme deficiencies and indicate that the particular building system evaluated failed to meet the standard of good repair at that school site. These critical conditions are identified with underlined text followed by an (X) on the Good Repair Standard. If the underlined statement is not true, then there is an extreme deficiency (to be marked as an "X" on the Evaluation Detail) resulting in a "poor" rating for the applicable category. It is important to note that the list of extreme deficiencies noted in the Good Repair Standard is not exhaustive. Any other deficiency not included in the criteria but meeting the definition above can be noted by the evaluator and generate a poor rating.

Part II, Evaluation Detail is a site inspection template to be used to evaluate the areas of a school on a category by category basis. The design of the inspection template allows for the determination of the scope of conditions across campus. In evaluating each area or space, the user should review each of the 15 categories identified in the Good Repair Standard and make a determination of whether a particular area is in good repair. Once the determination is made, it should be recorded on the Evaluation Detail, as follows:

ок	No Deficiency - Good Repair: Mark "OK" if all statements in the Good Repair Standard are true, and there is no indication of a deficiency in the specific category.
D	Deficiency: Mark "D" if one or more statement(s) in the Good Repair Standard for the specific category is not true, or if there is other clear evidence of the need for repair.
х	Extreme Deficiency : Indicate "X" if the area has a deficiency that is considered an "Extreme Deficiency" in the Good Repair Standard or there is a condition that qualifies as an extreme deficiency but is not noted in the Good Repair Standard.
NA	Not Applicable: If the Good Repair Standard category (building system or component) does not exist in the area evaluated, mark "NA".

STATE ALLOCATION BOARD
OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 2 of 7

STATE OF CALIFORNIA

FACILITY INSPECTION TOOL

SCHOOL FACILITY CONDITIONS EVALUATION
(REV 05/0904/22)

Below are suggested methods for evaluating various systems and areas:

- Gas and Sewer are major building systems that may span the entire school campus but may not be evident as applicable building systems in each classroom or common areas. However, because a deficiency in either of these systems could become evident and present a health and safety threat anywhere on campus, the user should not mark "NA" and should instead include an evaluation of these systems in each building space.
- Roofs can be easily evaluated for stand alone areas, such as portable classrooms. For permanent buildings containing several areas to be evaluated, roofs should be considered as parts of individual areas in order to accurately account for a scope of any roofing deficiency. For example, a 10 classroom building contains damaged gutters on one side of the building, spanning across five classrooms. Therefore, an evaluator should mark five classrooms as deficient in the roof category and the other five classrooms as in good repair, assuming there are no other visible deficiencies related to roofing.
- Overall Cleanliness is intended to be used to evaluate the cleanliness of each space.
 For example, a user should note a deficiency due to dirty surfaces in Overall
 Cleanliness, rather than Interior Surfaces. At the same time, the user should note such deficiency only in Overall Cleanliness in order to avoid accounting for such deficiency twice, i.e. in two sections.
- The tool is designed to evaluate stand-alone restrooms as separate areas. However, restrooms contained within other spaces, such as a kindergarten classroom or a library, can be evaluated as part of that area under Restrooms. If the area evaluated does not contain a restroom, Restrooms should be marked "NA."
- **Drinking fountains** can exist within individual classrooms or areas, right outside of classrooms or restrooms or other areas, or as stand alone fixtures on playgrounds and sports fields. If a drinking fountain or a set of fountains is located inside a building or immediately outside the area being evaluated, it should be included in the evaluation of that area under Drinking Fountains. If a fountain is located on the school grounds, it should be evaluated as part of that outside space. If there is no drinking fountain in the area evaluated, Drinking Fountains should be marked "NA."
- Playgrounds/School Grounds, should be evaluated as separate areas by dividing a
 campus into sections with defined borders. In this case, several sections of the good
 repair criteria would not apply to the evaluation, as they do not exist outside of physical
 building areas, such as Structural Damage and Fire Safety, for example.

Part III includes the Category Totals and Ranking, the Overall Rating, and a section for Comments and Rating Explanation.

Once the inspector completes the site inspection, he or she must total the number of areas evaluated. The inspector must also count all of the spaces deemed in good repair, deficient, extremely deficient, or not applicable under each of the 15 sections. Next, the evaluator must determine the condition of each section by taking the ratio of the number of areas deemed in good repair to the number of areas being evaluated (after subtracting non-applicable spaces from the total number of areas evaluated). If any of the 15 sections received a rating of extreme deficiency, the ratio (i.e., the percentage of good repair) for that section and the category the section is in should default to zero. The total percent per category (A through H) is determined by the total of all percentages of systems in good repair divided by the number of sections in that category. For example, to determine the total percent for the Structural category, add the percentages for the Structural Damage and Roof sections and divide the result by two.

Next, the overall school site score is determined by computing the average percentage rating of the eight categories (i.e., the total of all percentages divided by eight). Finally, the rater should determine the overall School Rating by applying the Percentage Range in the table provided in Part III to the average percentage calculated and taking into consideration the Rating Description provided in the same table.

*Although the FIT is designed to evaluate each school site within a reasonable range of facility conditions, it is possible that an evaluator may identify critical facility conditions that result in an Overall School Rating that does not reflect the urgency and severity of those deficiencies and/or does not match the rating's Description in Part III. In such instances, the evaluator may reduce the resulting school score by one or more grade categories and describe the reasons for the reduction in the space provided for Comments and Rating Explanation.

When completing Part III of the FIT, the <u>instructor inspector</u> should note the date and time of the inspection as well as weather conditions and any other pertinent inspection information in the specific areas provided and utilize the Comments and Rating Explanation Section if needed.

When completing Part III of the FIT, the school district should be provided the opportunity to provide comments and utilize the Comments and Rating Explanation Section if needed.

STATE OF CALIFORNIA

FACILITY INSPECTION TOOL SCHOOL FACILITY CONDITIONS EVALUATION (REV 05/0904/22)

Page 3 of 7

PART I: GOOD REPAIR STANDARD

(X): If underlined statement is not true, then this is an extreme deficiency (marked as an "X") on the Evaluation Detail resulting in a "poor" rating for the applicable category.

Gas Leaks

Gas systems and pipes appear safe, functional, and free of leaks. Examples include but are not limited to the following:

- a. There is no odor that would indicate a gas leak. (X)
- b. Gas pipes are not broken and appear to be in good working order. (X)
- c. Other

Mechanical Systems

Heating, ventilation, and air conditioning systems (HVAC) as applicable are functional and unobstructed. Examples include but are not limited to the following:

- a. The HVAC system is operable. (X)
- b. The facilities are ventilated (via mechanical or natural ventilation).
- c. The ventilation units are unobstructed and vents and grills are without evidence of excessive dirt or dust.
- d. There appears to be an adequate air supply to all classrooms, work spaces, and facilities (i.e. no strong odor is present, air is not stuffy)
- e. Interior temperatures appear to be maintained within normally accepted ranges.
- f. The ventilation units are not generating any excessive noise or vibrations.
- g. Other

Sewer

Sewer line stoppage is not evident. Examples include but are not limited to the following:

- a. There are no obvious signs of flooding caused by sewer line back-up in the facilities or on the school grounds. (X)
- b. The sanitary system controls odors as designed.
- c. Other

Interior Surfaces (Floors, Ceilings, Walls, and Window Casings)

Interior surfaces appear to be clean, safe, and functional. Examples include but are not limited to the following:

- a. Walls are free of hazards from tears and holes.
- b. Flooring is free of hazards from torn carpeting, missing floor tiles, holes.
- c. Ceiling is free of hazards from missing ceiling tiles and holes.
- d. There is no evidence of water damage (e.g. no condensation, dampness, staining, warping, peeling, mineral deposits, etc.)
- e. Other

Overall Cleanliness

School grounds, buildings, common areas, <u>surfaces</u>, and individual rooms appear to have been cleaned regularly. Examples include but are not limited to the following:

- a. Areas(s) evaluated is free of accumulated refuse, dirt, and grime.
- b Area(s) evaluated is free of unabated graffiti.
- c. Restrooms, drinking fountains, and food preparation or serving areas
- appear to have been cleaned each day that school is in session.
- d. Other

- a. Restrooms, drinking fountains, and food preparation or serving areas appear to have been cleaned each day that school is in session.
- b. An area should appear to be clean with minimal dirt, dust, or buildup. Floors and carpets should appear to have been swept or cleaned within the last week.
- Light fixtures and all bulbs are working properly. Facilities area adequately stocked and odor free. (OK)
- c. An area marked as "Deficiency" would appear to not have been cleaned in
- the last two weeks and carpet may look dull, matted, or stained. Corners of
- the room may have a recognizable amount of dirt or grime buildup. Floors do
- not appear to have been swept or vacuumed in two weeks. Some light
- fixtures are dirty and fewer than five percent of the bulbs have burned out.
- Daily trash has not been taken out. (D)
- d. An area marked as having an "Extreme Deficiency" would appear to be
- dirty, dingy, or scuffed with an evident buildup of dust, dirt, stains, or trash.
- Floors have not been swept or vacuumed in over two weeks. Light fixtures
- are dirty and more than five percent of the bulbs have burned out. There is
- trash overflow and the area being evaluated has a foul odor. (X)
- e. Area(s) evaluated is free of unabated graffiti.
- f. Other

Part IIb (Optional) - The Cleanliness Detail worksheet may be used to evaluate the Overall Cleanliness of each area. Based on Part IIb, use the following to complete Part IIa:

The district may choose how to report maintenance and custodial staff. The district may report staffing at the site or district level. Staffing may be based on assigned staff or represented as Full-Time Equivalent increments.

- a. If 75.0 precent or more of the review is "Yes", the area should be rated clean (OK).
- b. If 50 74.9 percent of the review is "Yes", the area should be rated "Deficient (D)".
- c. If 49.9 percent or less of the review is "Yes", the area should be rated Extreme
 Deficiency (X)
- 1. Floors swept, vacuumed, and/or mopped. Free of spots stains, and build up.
- 2. Walls and Doors free of spots and grime.
- 3. Desk and Counters clean.
- 4. Furniture dusted and clean.
- 5. Baseboards and window sills dusted and clean.
- 6. Light fixtures clean.
- 7. Sink clean and drains working properly.
- 8. Trash cans are empty and clean. The ground is free of trash. Floors and furniture are free of gum and/or other foo
- 9. Windows are free from damage, clean, and in working condition.
- 10. Water fountains, including handles/buttons, are clean and in working condition.
- 11. Toilets and bathroom sinks are clean and in working condition.
- 12. Mirrors and Hand Dryers are clean, intact, and in working condition.
- 13. Bathroom supplies are stocked and in working condition.
- 14. Area is free of graffitti.
- 15. Landscaping Maintained sufficiently to not hinder student and staff.

Pest/Vermin Infestation

Pest or vermin infestation are not evident.

- a. There is no evidence of a major pest or vermin infestation. (X)
- b. There are no holes in the walls, floors, or ceilings.
- c. Rodent droppings or insect skins are not evident.
- d. Odor caused by a pest or vermin infestation is not evident.
- e. There are no live rodents observed.
- f. Other

Page 4 of 7

Electrical (Interior and Exterior)

- 1. There is no evidence that any portion of the school has a power failure. (X)
- 2. Electrical systems, components, and equipment appear to be working properly.
- a. There are no exposed electrical wires. Electrical equipment is properly covered and secured from pupil access. (X)
- b. Outlets, access panels, switch plates, junction boxes and fixtures are properly covered and secured from pupil access.
- c. Other
- 3. Lighting appears to be adequate and working properly, including exterior lights.
- a. Lighting appears to be adequate.
- b. Lighting is not flickering.
- c. There is no unusual hum or noise from the light fixtures.
- d. Other

Restrooms

Restrooms in the vicinity of the area being evaluated appear to be accessible during school hours, clean, functional and in compliance with SB 892 (EC Section 35292.5) and AB 367 (EC Section 35292.6). The following are examples of compliance with SB 892 and AB 367:

- a. Restrooms are maintained and cleaned regularly.
- b. Restrooms are fully operational.
- c. Restrooms are stocked with toilet paper, <u>menstrual products</u>, soap, and paper towels
- d. Restrooms are open during school hours.
- e. Other

Sinks/Fountains (Inside and Outside)

Drinking fountains appear to be accessible and functioning as intended.

- a. Drinking fountains are accessible.
- b. Water pressure is adequate.
- c. A leak is not evident.
- d. There is no moss, mold, or excessive staining on the fixtures.
- e. The water is clear and without unusual taste or odor.
- f. Other

Fire Safety

The fire equipment and emergency systems appear to be functioning properly. Examples

- a. The fire sprinklers appear to be in working order (e.g., there are no missing or damaged sprinkler heads). (X)
- b. Emergency alarms appear to be functional. (X)
- c. Emergency exit signs function as designed, exits are unobstructed. (X)
- d. Fire extinguishers are current and placed in all required areas.
- e. Fire alarms pull stations are clearly visible.
- f. Other

Hazardous Materials (Interior and Exterior)

There does not appear to be evidence of hazardous materials that may pose a threat to

- a. <u>Hazardous chemicals, chemical waste, and flammable materials are stored properly (e.g. locked and labeled properly).</u> (X)
- b. Paint is not peeling, chipping, or cracking.

- c. There does not appear to be damaged tiles or other circumstances that may indicate asbestos exposure.
- d. Surfaces (including floors, ceilings, walls, window casings, HVAC grills) appear to be free of mildew, mold odor and visible mold.
- e. Other

Structural Damage

There does not appear to be structural damage that has created or could create

- a. Severe cracks are not evident. (X)
- b. Ceilings & floors are not sloping or sagging beyond their intended design. (X)
- c. Posts, beams, supports for portable classrooms, ramps, and other structural building members appear to be intact, secure and functional as designed. (X)
- d. There is no visible evidence of severe cracks, dry rot, mold, or damage that undermines the structural components. (X)
- e. Other

Roofs (observed from the ground, inside/outside the building)

Roof systems appear to be functioning properly.

- a. Roofs, gutters, roof drains, and down spouts are free of visible damage.
- b. Roofs, gutters, roof drains, and down spouts are intact.
- c. Other

Playground/School Grounds

The playground equipment and school grounds in the vicinity of the area being evaluated

- a. Significant cracks, trip hazards, holes and deterioration are not found.
- b. Open "S" hooks, protruding bolt ends, and sharp points/edges are not found in the playground equipment.
- c. Seating, tables, and equipment are functional and free of significant cracks.
- d. There are no signs of drainage problems, such as flooded areas, eroded soil, water damage to asphalt, or clogged storm drain inlets.
- e. Other

Windows/Doors/Gates/Fences (Interior and exterior)

Conditions that pose a safety and/or security risk are not evident.

- a. There is no exposed broken glass accessible to pupils and staff. (X)
- b. Exterior doors and gates are functioning and do not pose a security risk. (X)
- c. Windows are intact and free of cracks.
- d. Windows are functional and open, close, and lock as designed, unless there is
- a valid reason they should not function as designed.
- e. Doors are intact.
- f. Doors are functional and open, close, and lock as designed, unless there is a valid reason they should not function as designed.
- g. Gates and fences appear to be functional.
- h. Gates and fences are intact and free of holes and other conditions that could present a safety hazard to pupils, staff, or others.
- i. Other

PART IIa: EVALUATION DETAIL

STATE ALLOCATION BOARD OFFICE OF PUBLIC SCHOOL CONSTRUCTION

Page 5 of 7

School Name: __

Date of Inspection:

10 11 12 13 15 AREA\CATEGORY PLAYGROUND/ SCHOOL GROUNDS WINDOWS/ DOORS/ **Estimated Square Footage** INTERIOR OVERALL PEST/VERMIN SINKS/ HAZARDOUS STRUCTURAL GAS LEAKS MECH/HVAC ELECTRICAL RESTROOM FIRE SAFETY **Building / Area Name** SEWER ROOFS CLEANLINESS INFESTATION MATERIALS DAMAGE GATES/FENCES COMMENTS: District's Plan to Address: Deficiencies Noted in Prior Year?

Marks: **OK** = Good Repair; **D** = Deficiency; **X** = Extreme Deficiency; **NA** = Not Applicable
Use additional Area Lines as necessary.

STATE OF CALIFORNIA
FACILITY INSPECTION TOOL
SCHOOL FACILITY CONDITIONS EVALUATION

EW 04/22) Page 6 of 7

PART IIb: CLEANLINESS DETAIL

Date of Inspection:
School Name:

NUMBER OF MAINTENANCE STAFF IN THE DISTRICT OR AT SITE (SPECIFY):

NUMBER OF MAINTENANCE STAFF IN THE DISTRICT OR AT SITE (SPECIFY):

NUMBER OF CUSTODIAL STAFF ASSIGNED TO SITE:

	Area Characteristics	1	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	9	<u>10</u>	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>	Rating
Building / Area Name	(Grade level served, events, traffic volume, public usage, etc.)	Floors	Walls & Doors	Desks & Counters	<u>Furniture</u>	Baseboards /Window Sill	<u>Light</u> <u>Fixtures</u>	<u>Sinks</u>	Trash / Refuse	Windows	<u>Water</u> <u>Fountains</u>	<u>Toilets</u>	Mirrors & Hand Dryers	Bathroom Supplies	<u>Graffiti</u>	Landscaping	
																	#DIV/0!
=	≡	COMMENTS:															
																	#DIV/0!
=	=	COMMENTS:		l	l		l		ı			ı					
																	#DIV/0!
=	=	COMMENTS:		•	•	•	•		•			•					
																	#DIV/0!
=	=	COMMENTS:				•			<u> </u>			<u> </u>					'
																	#DIV/0!
-	-	COMMENTS:		Į.	Į.	•	Į.		l .			l .					
																	#DIV/0!
=	=	COMMENTS:											•				
																	#DIV/0!
		COMMENTS:											•				
																	#DIV/0!
		COMMENTS:		•	•	•	•		•			•					
																	#DIV/0!
		COMMENTS:				•		•					•				
																	#DIV/0!
		COMMENTS:		•	•	•	•		•	•		•	•	• •			
																	#DIV/0!
		COMMENTS:															
	<u>District's Plan to Address:</u>																
	Deficiency Noted in Prior Year?																

Use additional Area Lines as necessary.

FACILITY INSPECTION TOOL (FIT) SCHOOL FACILITY CONDITIONS EVALUATION

REV <u>95/9904/22)</u>

(: := : : : : : : : : : : : : : : : : :	== /															rage / Oi /			
SCHOOL DISTRICT/CO	UNTY OFFICE OF EDUCA	ATION									COUNTY								
SCHOOL SITE											SCHOOL TYPE (OOMS ON SITE:							
														NUMBER OF RESTRO	OMS ON SITE:				
INSPECTOR'S NAME					NAME OF DISTR	ICT REPRESENTA	TIVE ACCOMPANYIN	IG THE INSPECTOR(S)	(IF APPLICABLE)										
					INSPECTOR'S TITI										,				
TOTAL ESTIMATED BLIL	AL ESTIMATED BUILDING VOLUMNE (CUBIC FEET): TIME OF INSPECTION SITE ENROLLMENT																		
	LESTIMATED SITE SOURCE FOOTAGE / ACREAGE: WEATHER CONDITION AT TIME OF INSPECTION																		
					-														
TOTAL ESTIMATED BUI	LDING SQUARE FOOTAG	<u>3E:</u>									-								
PART III: C	III: CATEGORY TOTALS AND RANKING (round all calculations to two decimal places)																		
TOTAL			A. SYSTEMS		B. INTERIOR	C. CLEA	NLINESS	D. ELECTRICAL	E. RESTROO	MS/FOUNTAINS	F. S/	AFETY	G. STF	RUCTURAL	H. EX	TERNAL			
NUMBER OF	CATEGORY				INTERIOR	OVERALL	PEST/VERMIN		SINKS/			HAZARDOUS	STRUCTURAL		PLAYGROUND/	WINDOWS/DOORS/			
AREAS	TOTALS	GAS LEAKS	MECH/HVAC	SEWER	SURFACES	CLEANLINESS	INFESTATION	ELECTRICAL	RESTROOMS	FOUNTAINS	FIRE SAFETY	MATERIALS	DAMAGE	ROOFS	SCHOOL GROUNDS	GATES/FENCES			
EVALUATED																			
1	Number of "OK"s:																		
+	Number of "D"s:																		
					1														
	Number of "X"s:																		
	Number of N/As:																		
	m in Good Repair																		
	K"s divided by																		
(Total Are	as - "NA"s)*																		
	t per Category																		
(average	of above)*																		
	ircle one)																		
	90%-100%																		
	5%-89.99%																		
POUR = 0	0%-74.99%															Overall			
		*Note: A	An extreme o	leficiency in	any area aut	omatically re	esults in a "p	oor" ranking fo	r that categor	y and a zero fo	or "Total Pe	rcent per Ca	tegory".			<u>Overall</u>			
				•						-				1		Grade			
OVERALI	L RATING:	DETERMINE	AVERAGE P	ERCENTAG	E OF 8 CATEG	ORIES ABOV	'E	→			SCHOOL RA	ATING**	→	Exem	plary	A+			
					_														
		**Fo	r School Rat	ing, apply t	he Percentag	e Range bel	ow to the av	erage percenta	age determine	ed above, takir	ng into acco	unt the rating	Description	below.					
PERCENTAGE								DESCRIPTIO	N							RATING			
	The colored market			dana in Defi	-11					dh a a ab a al									
99%-100%	The school meets											1/				EXEMPLARY (A+)			
90%-98.99%	The school is main												rocess of being	mitigated.		GOOD (A)			
75.%-89.99%	The school is not in	n good repair.	Some deficier	ncies noted a	re critical and/c	r widespread.	Repairs and/	or additional mair	ntenance are ne	cessary in seve	ral areas of th	e school site.				FAIR (B/C)			
0%-74.99%	The school facilitie	es are in poor o	condition. Defi	ciencies of va	arious degrees	have been no	ted throughou	t the site. Major r	epairs and mair	ntenance are neo	cessary throu	ghout the camp	ous.			POOR (D/F)			
INSDECTOR	S COMMENTS	S VND																	
	_	3 AND																	
RATING EXP	LANATION:																		
DISTRICT'S	RESPONSES T	TO REPOR	T (Attach	additiona	I pages if n	ecessary)													